				'ETY I	DATA SHEET			
SECTION 1 - PRODUCT IDENTIFICATION AND USE PRODUCT IDENTIFIER : SPECTRUM LEAD FREE GLAZE 1114 GOLD RAIN PRODUCT IDE								
PRODUCT IDENTIFIER : PRODUCT USE : CERAMIC		rkeë GLAZI	r 1114 GOL	א עו KA.	LIN	PRODUC	I IDEN.	TIFICATION NUMBER 1114
MANUFACTURER'S NAME	LAZES INC	C. SUPPLIER'S NAME			SPECTRUM GLAZES INC.			
STREET ADDRESS: 273	NIT A1			: 273 BOWES RD, UNIT A1				
STREET ADDRESS: 273 BOWES RD, UNIT A1 CITY: CONCORD PROVINCE: ONTAR								
POSTAL CODE: L4K1H8								CY TEL(905)695-8355
SECTION 2 - HAZARDOU				200				
HAZARDOUS INGREDIENTS		8	CAS NUMBER		LD50 OF INGREDIENTS LC50 OF INGREDIENT (SPECIFY SPECIES AND ROUTE) (SPECIFY SPECIES)			
SiO2		45-60	14808-60-7		ILV 15mg/m3 OSHA/TWA			
к20		0.5-2	12136-45-7					
CaO		2-5	1305-78-8					
Na20		0.5-2	1313-59-3					
A1203		4-8	1344-28	-1				
B203		0.5-3	1303-86	-2				
Sr02		0.5-2	1314-18	-7				
Fe203		0.5-2	1309-37	-1				
CuO		3-6	1317-38	-0				
MnO		25-35	1313-13	-9				
SECTION 3 - PHYSICAL	DATA							
PHYSICAL STATE LIQUID	ATE ODOUR AND APPEARANCE ODOURLESS LIQUID						ODOUR THRESHOLD(PPM) N.A.	
VAPOUR PRESSURE (mm Hg) N.A.	VAPOUR DENSI (AIR=1)	ſΥ	EVAPORATIC N.A.		RATE BOILING POIN N.A.		(C)	FREEZING POINT(C) N.A.
рН 6.5-7	SPECIFIC GRAV			TER/OIL DIST.				
SECTION 4 - FIRE A	AND EXPLOSION D	ATA						
FLAMMABILITY YES NC	X FLAMES U	NDER WHIC	H CONDITIC	NS :	THIS PRODUCT	DOES NOT	SUPPOR	RT COMBUSTION
MEANS OF EXTINCTION N	O SPECIAL MEAN	S REQUIRE	D					
FLASHPOINT AND METHOD NONE			UPPER FLAMMABLE LIMIT (% BY VOLUME) N.A.					FLAMMABLE LIMIT VOLUME) N.A.
AUTOIGNITION TEMP.(C)]	HAZARDOUS	COMBI	USTION PRODUCT				
EXPLOSION DATA N.A.	SENSITIVITY	IMPACT N.A	Α.	AC	TIVITY TO STAT	TIC DISCH	IARGE N	.A.
		SEC	CTION 5 - 1	REACT	IVITY DATA			
CHEMICAL STABILITY YES X NO IF NO,	UNDER WHICH C	ONDITIONS						
INCOMPATIBILITY WITH YES NO X IF SO								
REACTIVITY AND UNDER	WHAT CONDITION	S: NO REA	CTIVITY					
HAZARDOUS DECOMPOSITI					LYMERIZATION B	UT TOXIC	FUMES	MAY BE RELEASED WHEN
		MATERIAL	IS MELTED.					

PRODUCT IDENTIFIER SPECTRUM LEAD FREE 1114 GOLD RAIN										
SECTION 6 - TOXICOLOGICAL PROPERTIES										
ROUTE OF ENTRY SKIN CONTACT	sk sk	IN ABSORPTION X EYE CONTACT X INHALATIO			INGESTION X					
EFFECTS OF ACUTE EXPOSURE TO PRODUCT: SKIN IRRITATION DUE TO ABRASIVENESS. EYE EXPOSURE COULD CAUSE IRRITATION BUT NO TOXIC EFFECTS.										
EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: METAL FUMES IN THE VAPOURS FROM FIRING CERAMIC GLAZES MAY CAUSE LUNG INFLAMATION AND DAMAGE TO KIDNEY AND NERVOUS SYSTEM.										
EXPOSURE LIMITS	IRRITANC	Y OF PRODUCT	SENSITIZATION TO PRODUCT		CARCINOGENICITY					
TERATOGENCITY	REPRODUC	TIVE TOXICITY	MUTAGENICITY		SYNERGISTIC PRODUCTS					
SECTION 7 - PREVENTIVE MEASURES										
PERSONAL PROTECTIVE EQUIPMENT:										
GLOVES (SPECIFY) WORK GLOVES		RESPIRATOR (SPECIFY) APPROVED DUST MASK		EYE (SPECIFY) SAFETY GLASSES						
FOOTWEAR (SPECIFY)		CLOTHING (SPECIFY)		OTHER (SPECIFY)						
ENGINEERING CONTROLS (SPECIFY,EG. VENTILATION, ENCLOSED PROCESS) VENTILATION SHOULD BE USED WHEN SPRAYING GLAZES.										
LEAK AND SPILL PROCEDURE: SCOOP INTO SUITABLE RECEPTACLE. DO NOT WASH DOWN DRAIN.										
WASTE DISPOSAL: SEND TO APPROVED SITE IN ACCORDANCE WITH REGULATIONS.										
HANDLING PROCEDURES AND EQUIPMENT: NO SPECIAL EQUIPEMENT NEEDED. FOLLOW STANDARD PLANT HYGIENE PROCEDURE.										
STORAGE REQUIREMENTS: STORE IN DRY AREAS.										
SPECIAL SHIPPING INFORMATION: PROTECT AGAINST PHYSICAL DAMAGE. DOT LABEL NON-REGULATED										
SECTION 8 - FIRST AID MEASURES										
SPECIFIC MEASURES: GLAZE CONTAINS THE OXIDES LISTED IN THE CHEMICAL FORMULA IN FORM OF CERAMIC FRIT. SOME OF THESE OXIDES ARE ON THE INGREDIENT DISCLOSURE LIST, ONCE THESE OXIDES ARE FUSED AND CONVERTED INTO FRIT THEY ARE NO LONGER AVAILABLE IN TOXIC FORM EVEN THOUGH TESTING WOULD DETECT THE PRESENCE OF THESE OXIDES. (FRIT IS ESSENTIALLY AN INSOLUBLE SUBSTANCE). THE OXIDES ARE PRESENT IN THE FORM OF A SINTERED CERAMIC STAIN OF LOW SOLUBILITY. THESE INGREDIENTS ARE PRESENT IN A STABLE AQUEOUS SUSPENSION.										
SECTION 9 - PREPARATION DATE OF MSDS										
PREPARED BY (GROUP, DEPARTMENT, ETC.) TECHNICAL DEPT.		PHONE NUMBER: (905) 695-8355		date 15 octo	BER 2015					