SECTION 1 - PRO	DUCT IDEN	TIFICATIO	ON AN	D USE							
PRODUCT IDENTIFIER WHITE	E 851 RAKU		PRODUCT IDENTIFICATION NUMBER 85								
PRODUCT USE : CERA	MIC GLAZE										
MANUFACTURER'S NAM	SUPPLIER'S NAME SPECTRUM GLAZES INC.										
STREET ADDRESS: 27	3 BOWES R	D, UNIT A	A1		STREET ADDRESS: 273 BOWES RD, UNIT A1						
CITY: CONCORD	PROV	INCE: ONT	TARIC)	CITY: CONCORD PROVINCE: ONTARIO						
POSTAL CODE: L4K1H8 EMERGENCY TEL(905)695				5-8355	POSTAL CODE: L4K1H8 EMERGENCY TEL(905)695-8355						
SECTION 2 - HAZARD	OUS INGRE	DIENTS									
HAZARDOUS ING	010	CA	S NUMBER		LD50 OF INGREDIENTS (SPECIFY SPECIES AND ROUTE)			LC50 OF INGREDIEN (SPECIFY SPECIES)			
SiO2		45-58	14	808-60-7	ILV 15mg/m3 TLV/TWA						
К20		0-1	12	136-45-7				-			
Na2O		5-9	1313-59-3								
CaO		10-18	1305-78-8								
в203		6-21	1303-86-2								
AL203		6-10	1344-28-1								
SnO2		0-9	18282-10-5								
Fe203		0-6	1309-37-1								
SECTION 3 - PHYSIC	AL DATA										
PHYSICAL STATE LIQUID									ODOUR THRESHOLD(PPN N.A.		
VAPOUR PRESSURE (mm Hg) N.A.				EVAPORATION RATE BO N.A. N.A					FREEZING POINT(C) N.A.		
pH 6.5-7 SPECIFIC GRAVITY 1.6-2.0			Y	COEFF. WATER/OIL DIST. N.A.							
SECTION 4 - FIRE	AND EXPLO	SION DAT	A								
FLAMMABILITY YES	NO X	FLAMES UN	IDER	WHICH CON	DITIONS :	THIS B	RODUCT	DOES N	OT SUPPORT COMBUSTIC		
MEANS OF EXTINCTIO	N NO SPEC	IAL MEANS	6 REÇ	UIRED							
FLASHPOINT AND METHOD NONE				UPPER FLAMMABLE LIMIT (% BY VOLUME) N.A.					R FLAMMABLE LIMIT Z VOLUME) N.A.		
AUTOIGNITION TEMP.(C) N.A.				HAZARDOUS	COMBUSTIO	NE					
EXPLOSION DATA N.A. SENSITIVITY IMPA				T N.A.	.A. ACTIVITY TO STATIC DISCHARGE N.A.						
			SEC	FION 5 - F	REACTIVITY	DATA					
CHEMICAL STABILITY YES X NO IF		WHICH CO	NDIT	IONS							
INCOMPATIBILITY WI	TH OTHER	SUBSTANCE	ES YE	SNO_X	IF SO W	HICH C	NES REA	CTIVIT	Y		
REACTIVITY AND UND	ER WHAT C	ONDITIONS	S: NC	REACTIVI	ТҮ						

MATERIAL IS MELTED.

RELEASED WHEN

PRODUCT IDENTIFIER SPECTRUM LEAD FREE RAKU GLAZE 851 RAKU WHITE												
SECTION 6 - TOXICOLOGICAL PROPERTIES												
ROUTE OF ENTRY SKIN CONTACT SKIN ABSORPTION X EYE CONTACT X INHALATION INGESTION X												
EFFECTS OF ACUTE EXPOSURE TO PRODUCT: SKIN IRRITATION DUE TO ABRASIVENESS. EYE EXPOSURE COULD CAUSE IRRITATION BUT NO TOXIC EFFECTS.												
EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: METAL FUMES IN THE VAPOURS FROM FIRING CERAMIC GLAZES MAY CAUSE LUNG SYSTEM.												
EXPOSURE LIMITS	IRRITAN	CY OF PRODUCT	SENSITIZATION TO PRODUCT)	CARCINOGENICITY							
TERATOGENCITY	REPRODU	CTIVE TOXICITY	MUTAGENICITY		SYNERGISTIC PRODUCTS							
SECTION 7 - PREVENTIVE MEASURES												
PERSONAL PROTECTIVE EQUIPMENT:												
GLOVES (SPECIFY) WORK GLOVES		RESPIRATOR (SPEC APPROVED DUST MA	-	EYE (SPECIFY) SAFETY GLASSES								
FOOTWEAR (SPECIFY)		CLOTHING (SPECIE	FY)	OTHER (SPECIFY)								
ENGINEERING CONTROLS (SPECIFY,EG. VENTILATION, ENCLOSED PROCESS) VENTILATION SHOULD BE USED WHEN SPRAYING GLAZES.												
LEAK AND SPILL PROCEDURE: SCOOP INTO SUITABLE RECEPTACLE. DO NOT WASH DOWN DRAIN.												
WASTE DISPOSAL: SEND TO APPROVED SITE IN ACCORDANCE WITH REGULATIONS.												
HANDLING PROCEDURES AND EQUIPMENT: NO SPECIAL EQUIPEMENT NEEDED. FOLLOW STANDARD PLANT HYGIENE PROCEDURE.												
STORAGE REQUIREMENTS: STORE IN DRY AREAS.												
SPECIAL SHIPPING INFORMATION: PROTECT AGAINST PHYSICAL DAMAGE. DOT LABEL NON-REGULATED												
SECTION 8 - FIRST AID MEASURES												
SPECIFIC MEASURES: GLAZE CONTAINS THE OXIDES LISTED IN THE CHEMICAL FORMULA IN FORM OF CERAMIC FRIT. SOME OF THESE OXIDES ARE ON THE INGREDIENT DISCLOSURE LIST, ONCE THESE OXIDES ARE FUSED AND CONVERTED INTO FRIT THEY ARE NO LONGER AVAILABLE IN TOXIC FORM EVEN THOUGH TESTING WOULD DETECT THE PRESENCE OF THESE OXIDES. (FRIT IS ESSENTIALLY AN INSOLUBLE SUBSTANCE). THE OXIDES ARE PRESENT IN THE FORM OF A SINTERED CERAMIC STAIN OF LOW SOLUBILITY. THESE INGREDIENTS ARE PRESENT IN A STABLE AQUEOUS SUSPENSION.												
SECTION 9 - PREPARATION DATE OF MSDS												
PREPARED BY (GROUP, DEPARTMENT, ETC.) TECHNICAL DEPT.		PHONE NUMBER: (905)695-8355		DATE 15 october 2015								