Г			MAT	TERIAL SAFI	ETY DATA S	HEET				
SECTION 1 - PRO	ODUCT IDEN	TIFICATIO	N AN	ND USE		T				
PRODUCT IDENTIFIER: SPECTRUM LEAD FREE RAKU GLAZE 852 TURQUOISE PRODUCT IDENT. NUMBER 852										
PRODUCT USE : CERA	AMIC GLAZE									
MANUFACTURER'S NAM	INC	с.	SUPPLIER'S NAME SPECTRUM GLAZES INC.							
STREET ADDRESS: 273 BOWES RD, UNIT A1					STREET ADDRESS: 273 BOWES RD, UNIT A1					
CITY: CONCORD PROVINCE: ONTARIO				D	CITY: CONCORD PROVINCE: ONTARIO					
POSTAL CODE: L4K1	H8 EMERGEN	CY TEL(90	5)69	95-8355	POSTAL CO	DE: L4K1H	8 EMERGENO	CY TEL(905)695-8355		
SECTION 2 - HAZARI	DOUS INGRE	DIENTS								
HAZARDOUS INGREDIENTS		0	CAS NUMBER		LD50 OF INGREDIENTS (SPECIFY SPECIES AND ROUTE)			LC50 OF INGREDIENT (SPECIFY SPECIES)		
SiO2		36-47	14808-60-7		ILV 15mg/m3 TLV/TWA					
к20	К20		12136-45-7							
Na2O		7-10	1313-59-3							
CaO		2-17	1305-78-8							
B203		8-23	1303-86-2							
AL203		2-11	1344-28-1							
SnO2		0-3	18282-10-5							
CuO		2-22	1317-38-0							
Cr203		0-0.5	1308-38-9							
SECTION 3 - PHYSIC	CAL DATA									
PHYSICAL STATE -LIQUID ODOUR AND A			APPE	PEARANCE -ODOURLESS		QUID	ODOUR THRESHOLD (PPM)			
VAPOUR PRESSURE (mm Hg) N.A.	VAPOUR D (AIR=1)	ENSITY	NSITY EVAPORA' N.A.			BOILING PT.(C)N.		FREEZING POINT(C) -N.A.		
рН 6.5-7	AV. 1.6-2	.0	COEFF. W	WATER/OIL DISTN.A.						
SECTION 4 - FIRE	AND EXPLO	SION DATA	<u> </u>							
FLAMMABILITY YES_	NO X FL	AMES UNDE	r Wf	HICH CONDI	FIONS : TH	IS PRODUCT	DOES NOT	SUPPORT COMBUSTION		
MEANS OF EXTINCTIO	ON NO SPEC	IAL MEANS	REÇ	QUIRED						
FLASHPOINT AND METHOD NONE				UPPER FLAMMABLE LIMIT (% BY VOLUME) N.A.			LOWER FLAMMABLE LIMIT (% BY VOLUME) N.A.			
AUTOIGNITION TEMP.(C) N.A.				HAZARDOUS	COMBUSTIO					
EXPLOSION DATA N.A. SENSITIVITY IMPACT N.A.					ACTIVITY TO STATIC DISCHARGE N.A.					
			SEC	TION 5 - R	EACTIVITY	DATA				
CHEMICAL STABILITY	Y YES X	NOIF	NO,	UNDER WH	ICH CONDIT	IONS				
INCOMPATIBILITY WI YES NO X IF				ГҮ						
REACTIVITY AND UNI	DER WHAT C	ONDITIONS	: NC) REACTIVI	ſΥ					
HAZARDOUS DECOMPOS RELEASED WHEN MATE			ERIA	AL IS STABI	LE, NO POL	YMERIZATIO	N BUT TOX	NIC FUMES MAY BE		

PRODUCT IDENTIFIER SPECTRUM LEAD FREE RAKU GLAZE 852 TURQUOISE												
SECTION 6 - TOXICOLOGICAL PROPERTIES												
ROUTE OF ENTRY SKIN CONTACT SKIN ABSORPTION X EYE CONTACT X INHALATION INGESTION X												
EFFECTS OF ACUTE EXPOSURE TO PRODUCT: SKIN IRRITATION DUE TO ABRASIVENESS. EYE EXPOSURE COULD CAUSE IRRITATION BUT NO TOXIC EFFECTS.												
EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: METAL FUMES IN THE VAPOURS FROM FIRING CERAMIC GLAZES MAY CAUSE LUNG SYSTEM.												
EXPOSURE LIMITS	IRRITAN	CY OF PRODUCT	SENSITIZATION TO PRODUCT		CARCINOGENICITY							
TERATOGENCITY	REPRODUCTIVE TOXICITY		MUTAGENICITY		SYNERGISTIC PRODUCTS							
SECTION 7 - PREVENTIVE MEASURES												
PERSONAL PROTECTIVE EQUIPMENT:												
GLOVES (SPECIFY) WORK GLOVES		RESPIRATOR (SPEC APPROVED DUST MA		EYE (SPECIFY) SAFETY GLASSES								
FOOTWEAR (SPECIFY)		CLOTHING (SPECIE	FY)	OTHER (SPECIFY)								
ENGINEERING CONTROLS (SPECIFY,EG. VENTILATION, ENCLOSED PROCESS) VENTILATION SHOULD BE USED WHEN SPRAYING GLAZES.												
LEAK AND SPILL PROCEDURE: SCOOP INTO SUITABLE RECEPTACLE. DO NOT WASH DOWN DRAIN.												
WASTE DISPOSAL: SEND TO APPROVED SITE IN ACCORDANCE WITH REGULATIONS.												
HANDLING PROCEDURES AND EQUIPMENT: NO SPECIAL EQUIPEMENT NEEDED. FOLLOW STANDARD PLANT HYGIENE PROCEDURE.												
STORAGE REQUIREMENTS: STORE IN DRY AREAS.												
SPECIAL SHIPPING INFORMATION: PROTECT AGAINST PHYSICAL DAMAGE. DOT LABEL NON-REGULATED												
SECTION 8 - FIRST AID MEASURES												
SPECIFIC MEASURES: GLAZE CONTAINS THE OXIDES LISTED IN THE CHEMICAL FORMULA IN FORM OF CERAMIC FRIT. SOME OF THESE OXIDES ARE ON THE INGREDIENT DISCLOSURE LIST, ONCE THESE OXIDES ARE FUSED AND CONVERTED INTO FRIT THEY ARE NO LONGER AVAILABLE IN TOXIC FORM EVEN THOUGH TESTING WOULD DETECT THE PRESENCE OF THESE OXIDES. (FRIT IS ESSENTIALLY AN INSOLUBLE SUBSTANCE). THE OXIDES ARE PRESENT IN THE FORM OF A SINTERED CERAMIC STAIN OF LOW SOLUBILITY. THESE INGREDIENTS ARE PRESENT IN A STABLE AQUEOUS SUSPENSION.												
SECTION 9 - PREPARATION DATE OF MSDS												
PREPARED BY (GROUP, DEPARTMENT, ETC.) TECHNICAL DEPT.		PHONE NUMBER: (905)695-8355		DATE 15 OCTO	BER 2015							