

# SAFETY DATA SHEET

COLOROBE S.P.A.	BIA	ITALIA			HTL0	00002		
Date of printing	:	07.07.2023	Date of issue	:	13.06.2023	Issue/Revision	:	3.0

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

# **SECTION 1: Identification of the substance/mixture and of the** company/undertaking

#### 1.1 Product identifier

**Product name** HTL--000002

**Product code** 000000000010057851

**Product description** Not available.

liquid **Product type** 

Other means of identification HTL--000002

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Third firing decoration in the glass/ceramics/porcelain sectorsThird

firing decoration in the glass/ceramics/porcelain sectors

# 1.3 Details of the supplier of the safety data sheet

COLOROBBIA ITALIA S.P.A. Indirizzo via Pietramarina 53

Località e Stato 50053 Sovigliana - Vinci (FI)

Italia

tel. +39 0571 7091 fax +39 0571 709.850

e-mail address of person responsible for this SDS

1.4 Emergency telephone number

QHSE@colorobbia.it

### National advisory body/Poison Center

Telephone number CAV - Ospedale Pediatrico Bambino Gesù - Roma - tel. +39 06

Az. Ospedaliera Università Foggia - Foggia - tel. 800183459 Az. Ospedaliera - A. Cardarelli- Napoli- tel. +39 081 7472870 CAV - Policlinico Umberto I- Roma - tel. +39 06 49978000 CAV - Policlinico A. Gemelli - Roma - tel. +39 06 3054343

Az. Ospedaliera Careggi - U.O. Tossicologia Medica - Firenze - tel.

+39 055 7947819

CAV - Centro Nazionale di Informazione Tossicologica - Pavia - tel.

+39 0382 24444

Ospedale Niguarda Ca' Granda - Milano - tel. +39 02 66101029 Az. ospedaliera Papa Giovanni XXIII - Bergamo - tel. 800883300

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1, H317 Repr. 1B, H360 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

Hazard pictograms







Signal word : Danger

**Hazard statements** : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated

exposure.

H410 Very toxic to aquatic life with long lasting effects.

# **Precautionary statements**

General : P103 - Read carefully and follow all instructions.P102 - Keep out of

reach of children. P<br/>101 - If medical advice is needed, have product  $% \left( 1\right) =\left( 1\right) \left( 1\right) =\left( 1\right) \left( 1\right)$ 

container or label at hand.

**Prevention** : P201 - Obtain special instructions before use. P280 - Wear protective

gloves, protective clothing, eye protection, face protection, or hearing protection. P284 - Wear respiratory protection. P273 - Avoid release to the environment. P260 - Do not breathe vapor. P270 - Do not eat, drink or smoke when using this product. P264 - Wash thoroughly

after handling.

**Response**: P391 - Collect spillage. P308 - IF exposed or concerned: P308 +

P313 - Get medical advice or attention. P304 - IF INHALED: P304 + P340 - Remove person to fresh air and keep comfortable for breathing. P342 - If experiencing respiratory symptoms: P342 + P311 - Call a POISON CENTER or doctor. P362 + P364 - Take off contaminated clothing and wash it before reuse. P302 - IF ON SKIN: P302 + P352 - Wash with plenty of water. P333 - If skin irritation or rash occurs: P333 + P313 - Get medical advice or attention. P305 - IF IN EYES: P305 + P351 + P338 - Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P305 + P310 - Immediately call a POISON CENTER or doctor.

Storage P405 - Store locked up.

**Disposal** P501 - Dispose of contents and container in accordance with all

local, regional, national and international regulations.

Hazardous ingredients bornan-2-one

rosin

formaldehyde, reaction products with butylphenol

turpentine, oil linalool

dodecane-1-thiol 4-methylpentan-2-one

eugenol cineole

(R)-p-mentha-1,8-diene

pin-2(3)-ene pin-2(10)-ene (E)-anethole

Supplemental label elements Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Restricted to professional users.

**Special packaging requirements** 

Containers to be fitted with child-resistant fastenings

Yes, applicable.

Tactile warning of danger Yes, applicable.

#### 2.3 Other hazards

for PBT or vPvB

**Product meets the criteria**: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006,

**Annex XIII** 

Other hazards which do not result in classification : None known.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures Mixture

Date of issue/Date of revision: Version: 3.0 13.06.2023 Date of previous issue: 27.04.2023

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M- factors and ATEs	Туре
bornan-2-one	EC: 200-945-0 CAS: 76-22-2	>= 10 - <= 25	Flam. Sol. 2, H228 Skin Sens. 1, H317 STOT RE 1, H372 Aquatic Chronic 4, H413	-	[1]
cyclohexanol	EC: 203-630-6 CAS: 108-93-0 Index: 603-009-00-3	>= 10 - <= 18	Acute Tox. 4, H302 Acute Tox. 4, H332 Skin Irrit. 2, H315 STOT SE 3, H335 (Respiratory tract irritation)	ATE [Oral] = 1.400 mg/kg ATE [Inhalation (vapours)] = 11 mg/l	[1]
rosin	EC: 232-475-7 CAS: 8050-09-7 Index: 650-015-00-7	> 0 - <= 10	Met. Corr. 1, H290 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 100 M [Chronic] = 10	[1]
formaldehyde, reaction products with butylphenol	EC : 294-145-9 CAS : 91673-30-2 Index: 605-021-00-4	> 0 - <= 10	Skin Sens. 1, H317	-	[1]
turpentine, oil	EC: 232-350-7 CAS: 8006-64-2 Index: 650-002-00-6	> 0 - <= 3	Flam. Liq. 3, H226 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	ATE [Oral] = 500 mg/kg ATE [Dermal] = 1.100 mg/kg ATE [Inhalation (vapours)] = 13,7 mg/l	[1]
Gilsonite	CAS : 12002-43-6	> 0 - <= 3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 1 M [Chronic] = 1	[1]
linalool	EC: 201-134-4 CAS: 78-70-6 Index: 603-235-00-2	> 0 - <= 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317	-	[1]
dodecane-1-thiol	EC: 203-984-1 CAS: 112-55-0	> 0 - <= 1,6	Skin Irrit. 2, H315 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1, H317 STOT SE 3, H335 (Respiratory tract irritation)	-	[1]
4-methylpentan-2-one	EC: 203-550-1 CAS: 108-10-1 Index: 606-004-00-4	> 0 - < 1	Flam. Liq. 2, H225 Acute Tox. 4, H302 Resp. Sens. 1, H334 Skin Sens. 1, H317 Muta. 2, H341	ATE [Oral] = 500 mg/kg M [Acute] = 1 M [Chronic] = 1	[1] [2]

			Repr. 1B, H360 Aquatic Acute 1, H400 Aquatic Chronic 1, H410		
eugenol	EC : 202-589-1 CAS : 97-53-0	> 0 - < 1	Acute Tox. 4, H302 Eye Irrit. 2, H319 Skin Sens. 1, H317	ATE [Oral] = 1.930 mg/kg	[1]
cineole	EC: 207-431-5 CAS: 470-82-6	> 0 - < 1	Flam. Liq. 3, H226 Skin Sens. 1, H317	-	[1]
(R)-p-mentha-1,8-diene	EC: 227-813-5 CAS: 5989-27-5 Index: 601-096-00-2	> 0 - < 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412	M [Acute] = 1	[1]
pin-2(3)-ene	EC : 201-291-9 CAS : 80-56-8	> 0 - <= 0,3	Flam. Liq. 3, H226 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 1 M [Chronic] = 1	[1]
camphene	EC : 201-234-8 CAS : 79-92-5	> 0 - <= 0,3	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 1 M [Chronic] = 1	[1]
pin-2(10)-ene	EC : 204-872-5 CAS : 127-91-3	> 0 - <= 0,3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304	-	[1]
(E)-anethole	EC : 224-052-0 CAS : 4180-23-8	> 0 - <= 0,3	Skin Sens. 1, H317	-	[1]

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

Eye contact

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be

Inhalation

- treated promptly by a physician.
- Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In the event of any complaints or symptoms, avoid further exposure.

Skin contact

Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion** 

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Protection of first-aiders** 

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

# 4.2 Most important symptoms and effects, both acute and delayed

# Over-exposure signs/symptoms

Adverse symptoms may include the following: pain, watering, Eye contact

redness

Inhalation Adverse symptoms may include the following: wheezing and

breathing difficulties, asthma, reduced fetal weight, increase in fetal

deaths, skeletal malformations

Skin contact Adverse symptoms may include the following: pain or irritation,

redness, blistering may occur, reduced fetal weight, increase in fetal

deaths, skeletal malformations

Adverse symptoms may include the following: stomach pains, **Ingestion** 

reduced fetal weight, increase in fetal deaths, skeletal malformations

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** No specific treatment.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media

- Use an extinguishing agent suitable for the surrounding fire.
- : None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Hazardous combustion products** 

Decomposition products may include the following materials: carbon dioxide, carbon monoxide, sulfur oxides Decomposition products may include the following materials: carbon dioxide, carbon monoxide, sulfur oxides

#### **5.3** Advice for firefighters

Special protective actions for fire-fighters

Special protective equipment for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

#### **6.1** Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

#### **6.2** Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

#### 6.3 Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an

appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

#### **6.4** Reference to other sections

See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

#### **Protective measures**

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

# Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# **Seveso Directive - Reporting thresholds**

### Danger criteria

	Category	Notification and MAPP threshold	Safety report threshold
Ī	E1	100 t	200 t

#### **7.3** Specific end use(s)

**Recommendations** : Not available. **Industrial sector specific** : Not available.

solutions

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

### Occupational exposure limits

Product/ingredient name	Exposure limit values
4-methylpentan-2-one	EU OEL (2000-06-01). TWA 83 mg/m3 20 ppm STEL 208 mg/m3 50 ppm Legislative Decree No. 819/2008. Title IX. Protection from chemical
	agents, carcinogens and mutagens (2004-03-01). TWA 83 mg/m3 20 ppm STEL 208 mg/m3 50 ppm

# Biological exposure indices

No exposure indices known.

# Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Product/ingredient name	Type	Exposure	Value	Population	Effects
cyclohexanol	DNEL	Long term	1,43 mg/kg	Workers	Systemic
		Dermal	bw/day		
	DNEL	Long term	0,716 mg/kg	General	Systemic
		Dermal	bw/day	population	
	DNEL	Long term	0,716 mg/kg	General	Systemic
		Oral	bw/day	population	

	DNEL	Long term Inhalation	40,3 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Inhalation	10 mg/m³	General population	Systemic
bornan-2-one	DNEL	Long term Inhalation	4,3478 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Inhalation	17,6316 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	10 mg/kg bw/day	Workers	Systemic
osin	DNEL	Long term Oral	1,0655 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	10 mg/m³	Workers	Local
	DNEL	Long term Dermal	2,131 mg/kg bw/day	Workers	Systemic
turpentine, oil	DNEL	Short term Dermal	1,6 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Oral	0,11 mg/kg bw/day	General population	Systemic
	DNEL	Short term Inhalation	51,6 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Short term Inhalation	10,3 mg/m <sup>3</sup>	Workers	Local
	DNEL	Long term Inhalation	3,9 mg/m³	Workers	Local
	DNEL	Long term Dermal	3,17 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Short term Oral	0,59 mg/kg bw/day	General population	Systemic
	DNEL	Short term Inhalation	0,12 mg/m³	General population	Systemic
	DNEL	Short term Dermal	9,51 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Long term Inhalation	0,78 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	1,17 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	0,018 mg/m³	General population	Systemic
	DNEL	Long term Dermal	0,417 mg/kg bw/day	General population	Systemic
inalool	DNEL	Long term Dermal	3 mg/cm <sup>2</sup>	Workers	Local
4-methylpentan-2-one	DNEL	Long term Oral	4,2 mg/kg bw/day	General population	Systemic
	DNEL	Short term Inhalation	208 mg/m³	Workers	Systemic
	DNEL	Short term Inhalation	208 mg/m³	Workers	Local
	DNEL	Long term Inhalation	83 mg/m³	Workers	Systemic
	DNEL	Long term	83 mg/m³	Workers	Local

		Inhalation			
	DNEL	Long term	14,7 mg/m <sup>3</sup>	General	Systemic
		Inhalation	, ,	population	
	DNEL	Long term	14,7 mg/m <sup>3</sup>	General	Local
		Inhalation		population	
	DNEL	Long term	11,8 mg/kg	Workers	Systemic
		Dermal	bw/day		
	DNEL	Short term	155,2 mg/m <sup>3</sup>	General	Systemic
		Inhalation		population	
	DNEL	Short term	155,2 mg/m <sup>3</sup>	General	Local
		Inhalation		population	
eugenol	DNEL	Long term	3 mg/kg	General	Systemic
		Oral	bw/day	population	
	DNEL	Long term	21,2 mg/m <sup>3</sup>	Workers	Systemic
		Inhalation			
	DNEL	Long term	5,22 mg/m <sup>3</sup>	General	Systemic
		Inhalation		population	
	DNEL	Long term	3 mg/kg	General	Systemic
		Dermal	bw/day	population	
	DNEL	Long term	6 mg/kg	Workers	Systemic
		Dermal	bw/day		
cineole	DNEL	Long term	1 mg/kg	General	Systemic
		Dermal	bw/day	population	
	DNEL	Long term	600 mg/kg	General	Systemic
		Oral	bw/day	population	
	DNEL	Long term	7,05 mg/m <sup>3</sup>	Workers	Systemic
		Inhalation	, ,		
	DNEL	Long term	2 mg/kg	Workers	Systemic
		Dermal	bw/day		
	DNEL	Long term	1,74 mg/m <sup>3</sup>	General	Systemic
		Inhalation	, 8	population	
(R)-p-mentha-1,8-diene	DNEL	Long term	16,6 mg/m <sup>3</sup>	General	Systemic
		Inhalation	, ,	population	
			9,5 mg/kg	Workers	Systemic
	DNEL	Long term	9,3 mg/kg		
· · •	DNEL	Long term Dermal			
· · • /		Dermal	bw/day	General	
· · •	DNEL DNEL	Dermal Long term	bw/day 4,8 mg/kg		Systemic
· · · •	DNEL	Dermal Long term Dermal	bw/day 4,8 mg/kg bw/day	population	Systemic
· · • /		Dermal Long term	bw/day 4,8 mg/kg bw/day 4,8 mg/kg	population General	
· · • /	DNEL	Dermal Long term Dermal Long term Oral	bw/day 4,8 mg/kg bw/day 4,8 mg/kg bw/day	population General population	Systemic Systemic
	DNEL	Dermal Long term Dermal Long term Oral Long term	bw/day 4,8 mg/kg bw/day 4,8 mg/kg	population General	Systemic
	DNEL DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³	population General population Workers	Systemic Systemic Systemic
	DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term	bw/day 4,8 mg/kg bw/day 4,8 mg/kg bw/day 66,7 mg/m³	population General population Workers General	Systemic Systemic
	DNEL DNEL DNEL DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal	bw/day 4,8 mg/kg bw/day 4,8 mg/kg bw/day 66,7 mg/m³  0,225 mg/kg bw/day	population General population Workers General population	Systemic Systemic Systemic Systemic
	DNEL DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg	population General population Workers General population General	Systemic Systemic Systemic
	DNEL DNEL DNEL DNEL DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term Oral	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg bw/day	population General population Workers General population General population	Systemic Systemic Systemic Systemic Systemic
	DNEL DNEL DNEL DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term Oral Long term Dermal Long term	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg	population General population Workers General population General	Systemic Systemic Systemic Systemic
	DNEL DNEL DNEL DNEL DNEL DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term Oral Long term Oral Long term Inhalation	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg bw/day  3,8 mg/m³	population General population Workers General population General population Workers	Systemic Systemic Systemic Systemic Systemic Systemic Systemic
	DNEL DNEL DNEL DNEL DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term Oral Long term Oral Long term Oral Long term Inhalation Long term Inhalation Long term	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg bw/day	population General population Workers General population General population Workers General	Systemic Systemic Systemic Systemic Systemic
	DNEL  DNEL  DNEL  DNEL  DNEL  DNEL  DNEL  DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term Oral Long term Ung term Long term Long term Inhalation Long term Inhalation	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg bw/day  3,8 mg/m³  0,674 mg/m³	population General population Workers General population General population Workers General population	Systemic Systemic Systemic Systemic Systemic Systemic Systemic Systemic
	DNEL DNEL DNEL DNEL DNEL DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term Oral Long term Oral Long term Inhalation Long term Inhalation Long term Inhalation Long term Inhalation Long term	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg bw/day  3,8 mg/m³  0,674 mg/m³  0,542 mg/kg	population General population Workers General population General population Workers General	Systemic Systemic Systemic Systemic Systemic Systemic Systemic
pin-2(3)-ene	DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term Oral Long term Underm Long term Oral Long term Inhalation Long term Inhalation Long term Inhalation Long term Inhalation Long term Dermal	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg bw/day  3,8 mg/m³  0,674 mg/m³  0,542 mg/kg bw/day	population General population Workers  General population General population Workers  General population Workers	Systemic
pin-2(3)-ene	DNEL  DNEL  DNEL  DNEL  DNEL  DNEL  DNEL  DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term Oral Long term Inhalation Long term Long term Inhalation Long term Dermal Long term	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg bw/day  3,8 mg/m³  0,674 mg/m³  0,542 mg/kg bw/day  110,19	population General population Workers General population General population Workers General population	Systemic Systemic Systemic Systemic Systemic Systemic Systemic Systemic
pin-2(3)-ene	DNEL  DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term Oral Long term Oral Long term Inhalation	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg bw/day  3,8 mg/m³  0,674 mg/m³  0,542 mg/kg bw/day  110,19 mg/m³	population General population Workers General population General population Workers General population Workers General population Workers	Systemic
pin-2(3)-ene	DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term Oral Long term Oral Long term Inhalation Long term Inhalation Long term Inhalation Long term Inhalation Short term	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg bw/day  3,8 mg/m³  0,674 mg/m³  0,542 mg/kg bw/day  110,19 mg/m³  110,19	population General population Workers  General population General population Workers  General population Workers	Systemic
pin-2(3)-ene  camphene	DNEL  DNEL	Dermal Long term Dermal Long term Oral Long term Inhalation Long term Dermal Long term Oral Long term Oral Long term Inhalation	bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  4,8 mg/kg bw/day  66,7 mg/m³  0,225 mg/kg bw/day  0,225 mg/kg bw/day  3,8 mg/m³  0,674 mg/m³  0,542 mg/kg bw/day  110,19 mg/m³	population General population Workers General population General population Workers General population Workers General population Workers	Systemic

	DNEL	Short term Inhalation	54,3 mg/m³	General population	Systemic
	DNEL	Short term Dermal	1,25 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Dermal	0,625 mg/kg bw/day	General population	Systemic
	DNEL	Short term Oral	0,625 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0,1 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	0,1 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0,21 mg/kg bw/day	Workers	Systemic
(E)-anethole	DNEL	Long term Dermal	3 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	1,5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	1,5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	2,61 mg/m <sup>3</sup>	General population	Systemic

#### **PNECs**

No PNECs available.

#### **8.2** Exposure controls

Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

It is recommended to wear a hooded visor or protective visor combined with airtight goggles (ref. Standard EN 166).

#### **Skin protection**

**Hand protection** 

: Protect hands with category III work gloves (ref. Standard EN 374). For the final choice of the material of the work gloves it is necessary to consider: compatibility, degradation, breakage time and permeation. In the case of preparations, the resistance of work gloves to chemical agents must be checked before use as it is not foreseeable. Gloves have a wear time that depends on the duration and method of use.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### **Respiratory protection**

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. In case of exceeding the threshold value (e.g. TLV-TWA) of the substance or of one or more of the substances present in the product, it is recommended to wear a mask with type AX filter whose limit of use will be defined by the manufacturer (ref. . standard EN 14387). If there are gases or vapors of a different nature and / or gases or vapors with particles (aerosols, fumes, mists, etc.), combined filters must be provided. The use of respiratory protection means is necessary in case the technical measures adopted are not sufficient to limit the exposure of the worker to the threshold values taken into consideration. The protection offered by the masks is however limited. In the event that the substance in question is odorless or its olfactory threshold is higher than the relative TLV-TWA and in the event of an emergency, wear an open-circuit compressed air breathing apparatus (ref. Standard EN 137) or a self-contained breathing apparatus. outdoor air (ref. EN 138 standard). For the correct choice of the respiratory protection device, refer to the EN 529 standard.

#### **Environmental exposure controls**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state
Color
Brown.

Odor
Aromatic.
Odor threshold
Melting point/freezing point
Initial boiling point and boiling

: liquid [liquid]
Brown.

Aromatic.
Not available.
Not available.
> 100 °C (> 212 °F)

range

Flammability : Not available.

**Lower and upper explosion limit** : **Lower:** Not available.

**Upper:** Not available.

Flash point

Auto-ignition temperature: Not available.Decomposition temperature: Not available.

**pH** : Product is non-polar/aprotic.

Viscosity **Dynamic**: Not available.

Kinematic: Not available.

Solubility in water insoluble

Partition coefficient: n-

octanol/water

Not applicable.

Vapor pressure :

Relative density Not available. : Not applicable. Vapor density : Not available. **Explosive properties** : Not available. **Oxidizing properties** 

**Particle characteristics** 

Median particle size Not applicable.

# **SECTION 10: Stability and reactivity**

**10.1** Reactivity No specific test data related to reactivity available for this product or

its ingredients.

**10.2** Chemical stability The product is stable.

10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions

will not occur.

**10.4** Conditions to avoid No specific data.

**10.5** Incompatible materials No specific data.

10.6 Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
cyclohexanol				
-	LD50 Oral	Rat	1.400 mg/kg	-
rosin				
	LD50 Oral	Rat	7.600 mg/kg	-
turpentine, oil				
	LD50 Oral	Rat	3.956 mg/kg	-
	LC50 Inhalation Vapor	Rat	19,9 mg/l	1 h
	LC50 Inhalation Vapor	Rat	13,7 mg/l	4 h

linalool				
	LD50 Oral	Rat	2.790 mg/kg	-
	LD50 Dermal	Rabbit	5.610 mg/kg	-
	LD50 Dermal	Rat	5.610 mg/kg	-
4-methylpentan-2-one				
	LD50 Oral	Rat	2.080 mg/kg	-
eugenol				
	LD50 Oral	Rat	1.930 mg/kg	-
cineole				
	LD50 Oral	Rat	2.480 mg/kg	-
(R)-p-mentha-1,8-diene				
	LD50 Oral	Rat	4.400 mg/kg	-
	LD50 Dermal	Rabbit	5.000 mg/kg	-
pin-2(3)-ene				
	LD50 Oral	Rat	3.700 mg/kg	-
	LD50 Dermal	Rabbit	5.000 mg/kg	-
camphene				
	LD50 Oral	Rat	5.000 mg/kg	-
	LC50 Inhalation	Rat	17,1 mg/l	1 h
	Vapor			
	LC50 Inhalation	Rat	17,1 mg/l	4 h
	Vapor			
pin-2(10)-ene				
	LD50 Oral	Rat	4.700 mg/kg	-
	LD50 Dermal	Rabbit	5.000 mg/kg	-
(E)-anethole				
	LD50 Oral	Rat	2.090 mg/kg	-

**Conclusion/Summary** : Not available.

# **Acute toxicity estimates**

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
HTL000002	5474,9 mg/kg	41798,1 mg/kg	N/A	54,1 mg/l	N/A
cyclohexanol	1400 mg/kg	N/A	N/A	11 mg/l	N/A
rosin	7600 mg/kg	N/A	N/A	N/A	N/A
turpentine, oil	500 mg/kg	1100 mg/kg	N/A	13,7 mg/l	N/A
linalool	2790 mg/kg	5610 mg/kg	N/A	N/A	N/A
4-methylpentan-2-one	500 mg/kg	N/A	N/A	N/A	N/A
eugenol	1930 mg/kg	N/A	N/A	N/A	N/A
cineole	2480 mg/kg	N/A	N/A	N/A	N/A
(R)-p-mentha-1,8-diene	4400 mg/kg	5000 mg/kg	N/A	N/A	N/A
pin-2(3)-ene	3700 mg/kg	5000 mg/kg	N/A	N/A	N/A
camphene	5000 mg/kg	N/A	N/A	N/A	N/A
pin-2(10)-ene	4700 mg/kg	5000 mg/kg	N/A	N/A	N/A
(E)-anethole	2090 mg/kg	N/A	N/A	N/A	N/A

# **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
cyclohexanol	Skin -	Rabbit	-	24 hrs	-
-	Moderate				
	irritant				
	Skin - Mild	Rabbit	-	24 hrs	-
	irritant				
	Eyes -	Rabbit	-	24 hrs	-
	Moderate				
	irritant				
	Eyes - Mild	Rabbit	-	24 hrs	-
	irritant				
	Eyes -	Rabbit	=		-
	Moderate				
	irritant				
turpentine, oil	Skin - Severe	Rabbit	-		-
	irritant				
	Skin - Severe	Human	-		-
	irritant				
linalool	Eyes -	Rabbit	-	1 hrs	-
	Moderate				
	irritant			10.1	
	Skin - Mild	Man	-	48 hrs	-
	irritant	D 111		241	
	Skin - Mild	Rabbit	-	24 hrs	-
	irritant	D 111	_	241	
	Skin - Severe	Rabbit	-	24 hrs	-
	irritant	D 111	-		
	Eyes -	Rabbit	-		-
	Moderate				
	irritant	C '		241	
	Skin - Moderate	Guinea pig	-	24 hrs	-
	irritant				
	Skin - Mild	Human		72 hrs	
	irritant	Hulliali	<del>-</del>	12 1118	-
4-methylpentan-2-one	Eyes -	Rabbit		24 hrs	
4-memyipentan-2-one	Moderate	Kabbit	<del>-</del>	24 1118	-
	irritant				
	Skin - Mild	Rabbit		24 hrs	
	irritant	Kabbit		24 1113	
	Eyes -	Rabbit	-		_
	Severe	Kabbit			
	irritant				
eugenol	Skin -	Man	-	48 hrs	_
-ugenor	Moderate	112411		.0 1115	
	irritant				
	Skin - Severe	Rabbit	-	24 hrs	-
	irritant				
	Skin - Mild	Pig	-	48 hrs	-
	irritant				
	Skin -	Guinea pig	-	24 hrs	-
	Moderate				
	irritant				
	Skin - Mild	Human	-	48 hrs	-
	irritant				

(R)-p-mentha-1,8-diene	Skin - Mild	Rabbit	-	24 hrs	-
	irritant				
pin-2(3)-ene	Skin -	Rabbit	-	24 hrs	-
	Moderate				
	irritant				
	Skin - Severe	Man	-		-
	irritant				
pin-2(10)-ene	Skin -	Rabbit	-	24 hrs	-
	Moderate				
	irritant				

Conclusion/Summary

Skin: Not available.Eyes: Not available.Respiratory: Not available.

### **Sensitization**

**Conclusion/Summary** 

Skin: Not available.Respiratory: Not available.

Mutagenicity

**Conclusion/Summary** : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

**Reproductive toxicity** 

Conclusion/Summary : Not available.

**Teratogenicity** 

Conclusion/Summary : Not available.

# Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
cyclohexanol	Category 3	=	Respiratory tract irritation
dodecane-1-thiol	Category 3	-	Respiratory tract irritation

# Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
bornan-2-one	Category 1	=	=

# **Aspiration hazard**

Product/ingredient name	Result
turpentine, oil	ASPIRATION HAZARD - Category 1
(R)-p-mentha-1,8-diene	ASPIRATION HAZARD - Category 1
pin-2(3)-ene	ASPIRATION HAZARD - Category 1
pin-2(10)-ene	ASPIRATION HAZARD - Category 1

**Information on the likely routes** : Not available.

#### of exposure

#### Potential acute health effects

**Eye contact** : Causes serious eye damage.

**Inhalation** : May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

**Skin contact**: Causes skin irritation. May cause an allergic skin reaction.

**Ingestion**: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following: pain, watering,

redness

**Inhalation** : Adverse symptoms may include the following: wheezing and

breathing difficulties, asthma, reduced fetal weight, increase in fetal

deaths, skeletal malformations

**Skin contact**: Adverse symptoms may include the following: pain or irritation,

redness, blistering may occur, reduced fetal weight, increase in fetal

deaths, skeletal malformations

**Ingestion**: Adverse symptoms may include the following: stomach pains,

reduced fetal weight, increase in fetal deaths, skeletal malformations

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

# Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

#### Potential chronic health effects

**Conclusion/Summary** : Not available.

General : Causes damage to organs through prolonged or repeated exposure.

Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels.

Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Reproductive toxicity: May damage fertility or the unborn child.

# 11.2. Information on other hazards

**11.2.1 Endocrine disrupting properties** : Not available. **11.2.2 Other information** : Not available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
cyclohexanol			

	water	subcapitata	
	Acute IC50 9,313 mg/l Fresh	Algae - Pseudokirchneriella	96 h
	Acute EC50 4,25 mg/l Fresh water	Daphnia - Daphnia magna	48 h
	water	D 1 : D 1 :	40.1
	Acute EC50 4,81 mg/l Fresh	Fish - Pimephales promelas	96 h
(E)-anethole		<u> 1</u>	L
	Chronic NOEC 0,058 mg/l Fresh water	Fish - Oncorhynchus mykiss	60 d
pin-2(10)-ene	CI LANGER CARA T		T co. 1
: 2(10)	water	costatum	
	Acute EC50 214 mg/l Marine	Algae - Skeletonema	96 h
	Acute LC50 22 mg/l Fresh water	Daphnia - Daphnia magna	48 h
	Acute LC50 1,17 mg/l Fresh water	Fish - Lepomis macrochirus	96 h
camphene	1.050115 35	Trout r	061
	water		
	Acute LC50 41 mg/l Fresh	Daphnia - Daphnia magna	48 h
	Acute LC50 5,28 mg/l Fresh	Fish - Lepomis macrochirus	96 h
pin-2(3)-ene	•	•	1
	Acute EC50 0,421 mg/l Fresh water	Daphnia - Daphnia magna	48 h
	water		
(14) p-montha-1,0-diene	Acute EC50 0,688 mg/l Fresh	Fish - Pimephales promelas	96 h
(R)-p-mentha-1,8-diene	water		
	Acute LC50 102 mg/l Fresh	Fish - Pimephales promelas	96 h
cineole			
	Acute LC50 24 mg/l Fresh water	Fish - Pimephales promelas	96 h
eugenol	A outo I C50 24 // E1	Fish Dimonhalas assault	06 h
	water		
	Chronic NOEC 78 mg/l Fresh	Daphnia - Daphnia magna	21 d
	Chronic NOEC 168 mg/l Fresh water	Fish - Pimephales promelas	33 d
	water		
<b>V</b> 1	Acute LC50 505 mg/l Fresh	Fish - Pimephales promelas	96 h
4-methylpentan-2-one	WHO!	1	1
	Acute EC50 36,7 mg/l Fresh water	Daphnia - Daphnia magna	48 П
	water	Donhaio Dontaio acces	48 h
	Acute LC50 28,8 mg/l Fresh	Fish - Oncorhynchus mykiss	96 h
linalool			•
	water	Promotes	
	Acute LC50 704 mg/l Fresh	Fish - Pimephales promelas	96 h

**Conclusion/Summary** : Not available.

# 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

# 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential	
cyclohexanol	1,21,25	-	low	
bornan-2-one	2,38	-	low	
rosin	1,9 - 7,7	-	high	
dodecane-1-thiol	6,5	-	high	
linalool	2,84	-	low	
4-methylpentan-2-one	1,9	-	low	
eugenol	2,27	-	low	
cineole	2,74	-	low	
(R)-p-mentha-1,8-diene	4,57	-	high	
pin-2(3)-ene	4,487	-	high	
camphene	-	954,99	high	·
pin-2(10)-ene	4,425	-	high	·

# 12.4 Mobility in soil

Soil/water partition coefficient

(KOC)

Not available.

**Mobility** : Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Endocrine disrupting properties** : Not available.

**12.7 Other adverse effects** : No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

# 13.1 Waste treatment methods

# **Product**

**Methods of disposal** : The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the

requirements of all authorities with jurisdiction.

**Hazardous waste** : The classification of the product may meet the criteria for a

hazardous waste.

**Packaging** 

**Methods of disposal** : The generation of waste should be avoided or minimized wherever

possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging European waste catalogue (EWC)	
	E-manage and action (EWC)

15 01 10*	packaging containing	residues	of or	contaminated	by
	hazardous substances				

# **Special precautions**

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number	UN3082	UN3082	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (rosin, turpentine, oil)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (rosin, turpentine, oil)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (rosin, turpentine, oil)
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	III	III	III
14.5. Environmental hazards	Yes.	Yes.	Yes.

**Additional information** 

ADR/RID	:	This product is not regulated as a dangerous good when transported in sizes of $\leq$ 5 L or $\leq$ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. <b>Tunnel code</b> (-)
ADN	:	This product is not regulated as a dangerous good when transported in sizes of $\leq$ 5 L or $\leq$ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
IMDG	:	This product is not regulated as a dangerous good when transported in sizes of $\leq$ 5 L or $\leq$ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
IATA	:	This product is not regulated as a dangerous good when transported in sizes of $\leq$ 5 L or $\leq$ 5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

14.6 Special precautions for user

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7** Transport in bulk according to IMO instruments

Not available.

# **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

#### Annex XIV - List of substances subject to authorization

#### Annex XIV

None of the components are listed.

# Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Restricted to professional users.

### Other EU regulations

**Industrial emissions (integrated** 

pollution prevention

and control) - Air

**Industrial emissions (integrated** 

Not listed

Listed

pollution prevention and control) - Water

Ozone depleting substances (1005/2009/EU)

None of the components are listed.

### Prior Informed Consent (PIC) (649/2012/EU)

None of the components are listed.

# **Persistent Organic Pollutants**

None of the components are listed.

# **Seveso Directive**

This product is controlled under the Seveso Directive.

#### Danger criteria

Category E1

# **National regulations**

### **International regulations**

# Chemical Weapon Convention List Schedules I, II & III Chemicals

# **Chemical Weapons Convention List Schedule I Chemicals**

None of the components are listed.

#### **Chemical Weapons Convention List Schedule II Chemicals**

None of the components are listed.

# **Chemical Weapons Convention List Schedule III Chemicals**

None of the components are listed.

#### **Montreal Protocol**

None of the components are listed.

### **Stockholm Convention on Persistent Organic Pollutants**

# Annex A - Elimination - Production

None of the components are listed.

### **Annex A - Elimination - Use**

None of the components are listed.

#### **Annex B - Restriction - Production**

None of the components are listed.

### **Annex B - Restriction - Use**

None of the components are listed.

# **Annex C - Unintentional - Production**

None of the components are listed.

#### **Rotterdam Convention on Prior Informed Consent (PIC)**

#### Rotterdam Convention on Prior Informed Consent (PIC) - Industrial

None of the components are listed.

#### Rotterdam Convention on Prior Informed Consent (PIC) - Pesticide

None of the components are listed.

# Rotterdam Convention on Prior Informed Consent (PIC) -Severely hazardous pesticide

None of the components are listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

#### Heavy metals - Annex 1

None of the components are listed.

# POPs - Annex 1 - Production

None of the components are listed.

### POPs - Annex 1 - Use

None of the components are listed.

#### POPs - Annex 2

None of the components are listed.

#### POPs - Annex 3

None of the components are listed.

### **Inventory list**

Australia: Not determined.Canada: Not determined.China: Not determined.

**Eurasian Economic Union** : Russian Federation inventory: Not determined.

Japan : Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

**New Zealand** Not determined. **Philippines** Not determined. Republic of Korea Not determined. Taiwan Not determined. **Thailand** Not determined. **Turkey** Not determined. **United States** Not determined. Viet Nam Not determined.

15.2 Chemical Safety Assessment : This product contains substances for which Chemical Safety

Assessments are still required.

# **SECTION 16: Other information**

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

# Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Irrit. 2, H315	Calculation method
Eye Dam. 1, H318	Calculation method
Resp. Sens. 1, H334	Calculation method
Skin Sens. 1, H317	Calculation method
Repr. 1B, H360	Calculation method
STOT RE 1, H372	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 1, H410	Calculation method

#### Full text of abbreviated H statements

H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H228	Flammable solid.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if
	inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

# Full text of classifications [CLP/GHS]

Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	AQUATIC HAZARD (ACUTE) - Category 1
Aquatic Chronic 1	AQUATIC HAZARD (LONG-TERM) - Category 1
Aquatic Chronic 2	AQUATIC HAZARD (LONG-TERM) - Category 2
Aquatic Chronic 3	AQUATIC HAZARD (LONG-TERM) - Category 3
Aquatic Chronic 4	AQUATIC HAZARD (LONG-TERM) - Category 4
Asp. Tox. 1	ASPIRATION HAZARD - Category 1
Eye Dam. 1	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Flam. Liq. 2	FLAMMABLE LIQUIDS - Category 2
Flam. Liq. 3	FLAMMABLE LIQUIDS - Category 3
Flam. Sol. 2	FLAMMABLE SOLIDS - Category 2
Met. Corr. 1	CORROSIVE TO METALS - Category 1
Muta. 2	GERM CELL MUTAGENICITY - Category 2
Repr. 1B	TOXIC TO REPRODUCTION - Category 1B
Resp. Sens. 1	RESPIRATORY SENSITIZATION - Category 1
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITIZATION - Category 1
Skin Sens. 1B	SKIN SENSITIZATION - Category 1B
STOT RE 1	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) -
	Category 1
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) -
	Category 3

Date of printing: 07.07.2023Date of issue/ Date of revision: 13.06.2023Date of previous issue: 27.04.2023Version: 3.0

# Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Notwithstanding the above, the provisions of this clause shall not apply in the event of supplier wilful misconduct (dolo), in which case the provisions of current legislation shall apply.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 HTL--000002 Page: 26/26